
🔇 Macy	FIJADOR DE I Code: 70255	MANCHAS AL AGUA				
Version:	7 Revision: 26/	10/2016 Previous	revision: 18/0	02/2016		Date of printing: 26/10/2016
SECTION 1		OF THE SUBSTANCE/MIXTURE	AND OF THE	COMPANY/UNDERTAKI	NG	
1.1 <u>PRC</u>	DDUCT IDENTIFIER:		DOR DE MA 9: 70255	NCHAS AL AGUA		
Inter Liqu Sec Con Use # TI ider Res	nded uses (main tecl uid paint. tors of use: nsumer uses (SU21). s advised against: his product is not rec ntified uses'.		of use industria		ne other than those prev	[X] Professional [X] Consumers
PIN Ctra Pho E-m	TURAS MACY, S.A. a. Nacional 301, Km. ne: +34 967 440712	PLIER OF THE SAFETY DATA SH 212,8 - E-02630 - La Roda (Albac - Fax: +34 967 442819 rson responsible for the safety dat turas-macy.com	ete)			
1.4 <u>EM</u>	ERGENCY TELEPHO	<u>ONE NUMBER:</u> +34 967 440712 (8:00-13:00 / 1	6:00-20:00 h.) (working he	ours)	
SECTION 2	: HAZARDS IDENTI	FICATION				
		HE SUBSTANCE OR MIXTURE: dance with Regulation (EC) No. 12	22/2008	(2014 (CLD))		
Aqu	atic Chronic 3:H412	Classification of the mixture			Torget organo	Effects
Phy	ger class r <u>sicochemical:</u> classified	Aquatic Chronic 3:H412	Cat. Cat.3	Routes of exposure	-	-
	nan health: classified					
Env	<u>rironment:</u>					
Note		nents mentioned is indicated in se a range of percentages is used, th e maximum value.		environmental hazards de	escribe the effects of the	highest concentration of each
# 77 Haz H41 Prec P10 P10 P10 P27 <u>Sup</u> EUH EUH EUE	ard statements: 2 2 3 2 3 3-P501a plementary statemen 4208 8174 ardous ingredients:	If medical advice is need Keep out of reach of chil Read label before use. Avoid release to the env nts: Contains 2-octyl-2H-isot May produce an allergic	th long lasting led, have proc dren. ironment. Disp niazol-3-one, ⁻ reaction. slimicide to pr	g effects. duct container or label at h pose of contents/containe	nand. r in accordance with loca one, mixture CIT EC 247	7-500-7 MIT EC 220-239-6 (3:1)
2.3 <u>OTH</u> Haz <u>Othe</u>	HER HAZARDS: ards which do not re er physicochemical h er adverse human he	sult in classification but which may azards: No other relevant advers ealth effects: No other relevant ac nental effects: Does not contain s	v contribute to se effects are l lverse effects	known. are known.		

Kar	FIJ Cod	JADOR DE MANCHAS AL AGUA de: 70255	
SECTIO	N 3 : COMF	POSITION/INFORMATION ON INGREDIENTS	
3.1	SUBSTANC	<u>CES:</u> able (mixture).	
3.2	MIXTURES This produc Chemical de # Mixture o	ct is a mixture.	
	< 1	1 % Zinc oxide CAS: 1314-13-2 , EC: 215-222-5 Ind CLP: Warning: Aquatic Acute 1:H400 Aquatic Chronic 1:H410	ex No. 030-013-00-7 < CLP00
	< 0,5		Autoclassified < REACH
	< 0,05	CAS: 330-54-1 EC: 206-354-4	ex No. 006-015-00-9 < ATP01
	< 0,015	△ CAS: 26530-20-1 EC: 247-761-7 BEACH: Biocide Ind	ex No. 613-112-00-5 < CLP00
	< 0,015		ex No. 613-088-00-6 < CLP00
	< 0,0015	the second se	220-239-6] (3:1) ex No. 613-167-00-5 < CLP00
	Stabilizers: None Reference t	ontain other components or impurities which will influence the classification of the product.	
	SUBSTANC # List updat Substances	CES OF VERY HIGH CONCERN (SVHC): ated by ECHA on 20/06/2016. s SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:	
	None Substances None	s SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:	
		T, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: ontain substances that fulfill the PBT/vPvB criteria.	

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830



Mau Mau	FIJADOR DE MANCHAS AL AGUA Code: 70255	
SECTIO	TION 7 : HANDLING AND STORAGE	
7.1	PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly closed. Recommendations for the prevention of fire and explosion risks: Although due its low flammability does not represent a serious risk of fire, all type of measures should be taken in order to avoid any poss Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and per protection measures, see section 8. Recommendations for the prevention of environmental contamination: Avoid any spillage in the environment. Pay special attention to the cleaning water. In the case of accidental spillage, follow the instruction section 6.	ersonal
7.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see a class of store Class of store : According to current legislation. Maximum storage period : # 24 months Temperature interval : min: 5. °C, max: 30. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: According to current legislation. Limit quantity (Seveso III): # Directive 2012/18/EU: # No aplicable. # Directive 2012/18/EU:	t with sunlight. In section 10.
7.3	SPECIFIC END USES. For the use of this product do not exist particular recommendations apart from that already indicated.	

ON 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION						
CONTROL PARAMETERS:						
If a product contains ingredients with exposure limits, may be neces	ssarv a nersonnel i	monitoring w	ork place or bio	logical to det	orming the offecti	ivon
of the ventilation or other control measures and/or the necessity to	uso respiratory pro	nonitoring, w	mont Reference	o should be m	ando to EN680 E	
and EN482 standard concerning methods for assessing the exposure	ro by inhalation to c	shomical agor	te and exposu	re to chomica	l and biological a	
Reference should be also made to national guidance documents for					i and biological a	igen
Thereference should be also made to hallonal guidance documents to		determination	or dangerous s	ubstances.		
OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)						
AGCIH 2014	Year TLV-TWA			Ceiling value.	Remarks	
	ppm	mg/m3	ppm	mg/m3		
	2003 -	2.0	-	10.	Breathable pow	
2-octyl-2H-isothiazol-3-one	-	0.050	-		Recommended	
1,2-benzisothiazol-3(2H)-one	-	0.10	-	0.060	Recommended	
Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-	0.080	-	0.23	Recommended	1
TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL	Short Term Exp	osure Limit.				
	I.	-				
BIOLOGICAL LIMIT VALUES:						
Not stablished						
DERIVED NO-EFFECT LEVEL (DNEL):		(
Derived no-effect level (DNEL) is a level of exposure that is consider	ered safe, derived f	from toxicity d	ata according t	o specific guid	dances included i	in
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi	it (OEL) for the san	ne chemical. (DEL values ma	y come recom	nmended by a pa	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of ex	it (OEL) for the san	ne chemical. (DEL values ma	y come recom	nmended by a pa	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi	it (OEL) for the san	ne chemical. (DEL values ma	y come recom	nmended by a pa	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers:	it (OEL) for the san	ne chemical. (nsidered prote	DEL values ma	y come recom the OEL valu	nmended by a pa	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic:	it (OEL) for the san perts. Although co	ne chemical. (nsidered prote	DEL values ma	y come recom the OEL valu	nmended by a pa les are derived by DNEL Oral	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic:	it (OEL) for the san perts. Although con DNEL Inhal mg/m3	ne chemical. (nsidered prote lation	DEL values ma ective of health, DNEL Cutar mg/kg bw/d	y come recom the OEL valu reous	nmended by a pa les are derived by	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one	it (OEL) for the san perts. Although con DNEL Inhal mg/m3 - (a	ne chemical. (nsidered prote lation a) - (c	DEL values ma ective of health, DNEL Cutar mg/kg bw/d) - (a	y come recom the OEL valu neous	DNEL Oral mg/kg bw/d - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic:	it (OEL) for the san perts. Although con DNEL Inhal mg/m3 - (a	ne chemical. (nsidered prote lation a) - (c a) - (c	DEL values ma ective of health, DNEL Cutar mg/kg bw/d) - (a) - (a)	y come recom the OEL valu neous) - (c)) - (c)	DNEL Oral mg/kg bw/d	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a)	y come recom the OEL valu reous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of ex- process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers:	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u>	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) <u>DNEL Cutar</u>	y come recom the OEL valu reous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) DNEL Eyes	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic:	it (OEL) for the san perts. Although con DNEL Inhal mg/m3 - (a - (a DNEL Inhal mg/m3	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2	y come recom the OEL valu eeous) - (c)) - (c) eeous	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)	y come recom the OEL valu recous) - (c)) - (c) recous) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of exp process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3(2H)-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a) - (a) - (a) - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d - (a) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)	y come recom the OEL valu reous) - (c)) - (c) reous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)	y come recom the OEL valu reous) - (c)) - (c) reous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is conside REACH. DNEL values may differ from a occupational exposure limi company, a government regulatory agency or an organization of ex- process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a	ne chemical. (nsidered prote lation a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c	DEL values ma active of health, mg/kg bw/d) - (a)) - (a)	y come recom the OEL valu neous) - (c)) - (c)) - (c) neous) - (c)) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population:	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a) - (a) - (a) - (a) - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a)) - (a)) <u>DNEL Cutar</u> mg/cm2) - (a)) - (a)) - (a)	y come recom the OEL valu neous) - (c)) - (c)) - (c) neous) - (c)) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic:	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a - (a) - ((a) - (ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)) - (a) <u>DNEL Cutar</u> mg/kg bw/d	y come recom the OEL valu eeous) - (c)) - (c) eeous) - (c)) - (c)) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a - (a) <u>DNEL Inhal</u> mg/m3 - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)) - (a)) - (a)) - (a)) - (a)) - (a)) - (a)	y come recom the OEL valu recous) - (c)) - (c) recous) - (c)) - (c)) - (c) recous) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a) - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a - (a) - ((ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c	DEL values ma ective of health, mg/kg bw/d) - (a)) - (a)	y come recom the OEL value (eous) () - (c) () - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a - (a) <u>DNEL Inhal</u> mg/m3 - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d - (a) - (a) <u>DNEL Cutar</u> mg/cm2 - (a) - (a) <u>DNEL Cutar</u> mg/kg bw/d - (a) <u>DNEL Cutar</u> (a) - (a) <u>DNEL Cutar</u> (a) - (a) <u>- (a)</u> <u>- (a)</u> <u>- (a)</u> <u>- (a)</u> <u>- (a)</u> <u>-</u>	y come recom the OEL value (eous) () - (c) () - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a) - (a) - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	it (OEL) for the san perts. Although con mg/m3 - (a - (a - (a DNEL Inhal mg/m3 - (a - (a - (a - (a - (a) - (ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a)	y come recom the OEL valu recous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population:	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a - (a - (a) - (ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c a) - (c a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c	DEL values ma active of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a)) - (a) <u>DNEL Cutar</u> mg/cm2) - (a)) - (a) <u>DNEL Cutar</u> mg/kg bw/d) - (a) <u>DNEL Cutar</u> mg/kg bw/d) - (a) <u>DNEL Cutar</u>	y come recom the OEL valu recous) - (c)) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Oral mg/kg bw/d - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-One Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: <	it (OEL) for the san perts. Although con mg/m3 - (a - (a - (a - (a - (a) - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c a) - (c lation a) - (c a) - (c lation a) - (c a) - (c a) - (c a) - (c a) - (c blation	DEL values ma active of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a)) - (a) - (a)) - (a) - (a)) - (a) -	y come recom the OEL valu eeous) - (c)) - (c) eeous) - (c) eeous) - (c) eeous) - (c) eeous) - (c) eeous	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) DNEL Oral mg/kg bw/d - (a) -	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-One 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Local effects, acute and chronic:	it (OEL) for the san perts. Although con <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a <u>DNEL Inhal</u> mg/m3 - (a - (a - (a) - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c	DEL values ma ective of health, <u>DNEL Cutar</u> mg/kg bw/d - (a - (a) <u>DNEL Cutar</u> mg/cm2 - (a) <u>DNEL Cutar</u> mg/kg bw/d - (a) - (a) <u>DNEL Cutar</u> mg/kg bw/d - (a) <u>DNEL Cutar</u> mg/kg bw/d - (a) <u>- (a)</u> <u>- (a)</u>	y come recom the OEL valu eous) - (c)) - (c) eous) - (c) eous) - (c) eous) - (c) eous) - (c) eous) - (c) eous) - (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) DNEL Eyes mg/kg bw/d - (a) - (a) DNEL Oral mg/kg bw/d - (a) - (a)	rticu
Derived no-effect level (DNEL) is a level of exposure that is consider REACH. DNEL values may differ from a occupational exposure limit company, a government regulatory agency or an organization of exporcess different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, workers: - Local effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: - Systemic effects, acute and chronic: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-one 1,2-benzisothiazol-3-One Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) Derived no-effect level, general population: <	it (OEL) for the san perts. Although con mg/m3 - (a - (a - (a - (a - (a) - (a)	ne chemical. (nsidered prote lation a) - (c a) - (c)	DEL values ma active of health, <u>DNEL Cutar</u> mg/kg bw/d) - (a) - (a) - (a <u>DNEL Cutar</u> mg/cm2) - (a <u>DNEL Cutar</u> mg/kg bw/d) - (a <u>DNEL Cutar</u> mg/kg bw/d) - (a <u>DNEL Cutar</u> mg/kg bw/d) - (a) - (a	y come recom the OEL value eeous) - (c)) - (c)) - (c) eeous) - (c) eeous) - (c) eeous) - (c) eeous) - (c) eeous) - (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) - (a) - (a) DNEL Oral mg/kg bw/d - (a) -	rticu

٦

	FIJADOR DE I Code: 70255	MANCHAS AL AGUA					
PRED	ICTED NO-EFFEC	T CONCENTRATION (PNEC):					
- Free 2-octy	Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		PNEC Fresh water mg/l	PNEC Marine mg/l	PNEC Intermittent mg/l		
			-	-	-		
marin 2-octy	e water: /I-2H-isothiazol-3-o		PNEC STP mg/l	PNEC Sediments mg/kg dry weight	PNEC Sediments mg/kg dry weight		
	enzisothiazol-3(2H) re CIT EC 247-500	-one -7 MIT EC 220-239-6 (3:1)	-	-	-		
- Air, 2-octy 1,2-be	soil and effects for /I-2H-isothiazol-3-o enzisothiazol-3(2H)		PNEC Air mg/m3 - -	PNEC Soil mg/kg dry weight - -	PNEC Oral mg/kg bw/d - -		
(-) - P	NEC not available	(without data of registration REACH).					
EXPC	SURE CONTROLS	<u>S:</u>					
ENGI	NEERING MEASU	RES:					
Proteo Proteo	ction of eyes and fa	Provide adequate ventilation. Where reasonab good general extraction. system: Avoid the inhalation of vapours. ace: Dispose of water taps, sources or eyewash skin: It is recommended to dispose of water ta	bottles with clean water clc ps or sources with clean wa	use to the working area. Ater close to the working are			
help t	o protect the expos	sed areas of the skin. Barrier creams should not	be applied once exposure h	has occurred.			
As a g corres	general measure or sponding EC marki	<u>URE CONTROLS:</u> Directive 89/686/EEC~96/58 n prevention and safety in the work place, we recond ng. For more information on personal protective arking, category, CEN norm, etc), you should c	commend the use of a basic equipment (storage, use, cl	eaning, maintenance, type	and characteristics of the		
Mask:		No, unless ventilation is insufficient. Use respir danger of exposure to high concentrations of e		plications. Use respiratory p	protection if there is a		
Goggl	les:	Advisable.					
Face :	shield:	No.					
Glove	<u>s:</u>	Advisable. The gloves should be immediately r	eplaced when any sign of d	egradation is noted.			
Boots	<u>:</u>	No.					
<u>Apron</u>	<u>r.</u>	No.					
<u>Clothi</u>	ng:	No.					
Not a		uct is handled at room temperature).					
Avoid	ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. Spills on the soil: Prevent contamination of soil.						
sewei - Wat	 Spills in water: Harmful to aquatic organisms. May cause long-term adverse effects on the aquatic environment. Do not allow to escape into drains, sewers or water courses. <u>Water Control Act:</u> # Este producto contiene las siguientes sustancias incluidas en la lista de sustancias prioritarias en el ámbito de la política de aguas, según la Directiva 2000/60/CE~2013/39/UE: Diurón. 						
		here: Because of volatility, emissions to the at	mosphere while handling an	id use may result. Avoid any	y release into the		
- <u>VO</u> de en 2004/	nisiones de compu /42/CE~2010/79/Ul	<u>r use*):</u> # Es de aplicación la Directiva 2004/42 estos orgánicos volátiles debidas al uso de disol E (RD.227/2006~Orden PRE/1665/2012), Anexo ducto listo al uso*) : 15.6* g/l* (COV máx. 30. g/l	ventes orgánicos: PINTURA 1.1): Subcategoría de emis	AS Y BARNICES (definidos	en la Directiva		
de en 2004/	nisiones de compu /42/CE~2010/79/Ul	estos orgánicos volátiles debidas al uso de disol E (RD.227/2006~Orden PRE/1665/2012), Anexo	ventes orgánicos: PINTURA 1.1): Subcategoría de emis	AS Y BARNICES (definidos	en la Directiva		

() Ma <u>cy</u>	FIJADOR DE MANCHAS AL AGUA Code: 70255	
SECTION	9 : PHYSICAL AND CHEMICAL PROPERTIES	
Acc 	JFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIE ppearance Physical state Colour Odour threshold H-value pH hange of state Melting point Initial boiling point ensity Relative density tability Decomposition temperature iscosity: Dynamic viscosity Kinematic viscosity olatility: Evaporation rate Vapour pressure Oubuility in water: Liposolubility Iammability: Flash point Autoignition temperature xplosive properties: Iot available. xidizing properties:	S: : Liquid. : White. : Characteristic : Not available (mixture). : $8.4 \text{ at } 20^{\circ}\text{C}$: $1.473^{*} \text{ at } 20/4^{\circ}\text{C}$: # :
9.2 <u>0</u> 1 - 1	lot classified as oxidizing product. Estimated values based on the substances composing the mixture. THER INFORMATION: Heat of combustion VOC (supply)	: # 2959* Kcal/kg : # 15.6 g/l s. The data for the product specifications can be found in the technical data sheet
of	f the same. For additional information concerning physical and chem 10 : STABILITY AND REACTIVITY	ical properties related to safety and environment, see sections 7 and 12.
Co	EACTIVITY: orrosivity to metals: It is not corrosive to metals. yrophorical properties: It is not pyrophoric.	
	HEMICAL STABILITY: table under recommended storage and handling conditions.	
	OSSIBILITY OF HAZARDOUS REACTIONS: lossible dangerous reaction with oxidizing agents, acids, alkalis.	
He Lic Aiu Pr Sh		comienda no dejar los recipientes abiertos. nendación de tipo general se deben evitar golpes y manejos bruscos, para evitar manipula el producto en grandes cantidades, y durante las operaciones de carga
	ICOMPATIBLE MATERIALS: ieep away from oxidixing agents, from strongly alkaline and strongly a	acid materials.
	AZARDOUS DECOMPOSITION PRODUCTS: s consequence of thermal decomposition, hazardous products may b	be produced: carbon monoxide.

MATERIAL SAFETY DATA SHEET (REACH)

Aspiration hazard: Not classified

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

9 • <u> </u>	FIJADOR DE MANCHAS Code: 70255									
TION	11: TOXICOLOGICAL INFORMA	TION								
xperi ulatio	imental toxicological data on the pre n method of the Regulation (EC) No	eparation is available. The to 1272/2008~605/2014 (C	toxicologic LP).	al classification for these r	nixture has been carried ou	t by using the conventional				
	INFORMATION ON TOXICOLOGICAL EFFECTS:									
<u> </u>										
f Z A C 2 1	Dose and lethal concentrations or individual ingredients : Zinc oxide Ammonium alkylethersulphosuccina Diuron (ISO) 2-octyl-2H-isothiazol-3-one ,2-benzisothiazol-3(2H)-one dixture CIT EC 247-500-7 MIT EC 2			DL50 (OECD 401) mg/kg oral > > 5000. Rat 4150. Rat 279. Rat 1020. Rat 67. Rat	DL50 (OECD 402) mg/kg cutaneous > 2000. Rabbit > 5000. Rat 690. Rabbit > 2000. Rat 140. Rat	CL50 (OECD 403) mg/m3.4h inhalation > 5700. Rat > 2120. Rat > 5000. Rat > 270. Rat > 2050. Rat > 1230. Rat				
	No observed adverse effect level Not available Lowest observed adverse effect level Not available									
	NFORMATION ON LIKELY ROUTE									
F	Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/c						
	nhalation:_ Not classified	ATE > 20000 mg/m3	-	Not classified as a produce data, the classification cr	ct with acute toxicity if inhal iteria are not met).	ed (based on available				
	Skin: Not classified	ATE > 2000 mg/kg	-	Not classified as a produ available data, the classi	ct with acute toxicity in cont fication criteria are not met)	act with skin (based on				
	<u>ves:</u> lot classified	Not available	-	Not classified as a produ	ct with acute toxicity by eye	contact (lack of data).				
	ngestion: lot classified	ATE > 5000 mg/kg	-	Not classified as a produ data, the classification cr	ct with acute toxicity if swal iteria are not met).	owed (based on available				
C	CORROSION / IRRITATION / SENS	BITISATION :								
C	Danger class	Target organs	Cat.	Main effects, acute and/o	or delayed					
	Respiratory corrosion/irritation: Not classified	-	-	Not classified as a produ data, the classification cr	ct corrosive or irritant by infiteria are not met).	nalation (based on availab				
S N	Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).						
	Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).						
	Respiratory sensitisation: Not classified	-	-	Not classified as a produ the classification criteria	ct sensitising by inhalation are not met).	(based on available data,				
	Skin sensitisation: Not classified	-	-	Not classified as a produ data, the classification cr	ct sensitising by skin conta- iteria are not met).	ct (based on available				
	Contains 2-octyl-2H-isothiazol-3-one	e, 1,2-benzisothiazol-3(2H)-	one, mixtu	re CIT EC 247-500-7 MIT	EC 220-239-6 (3:1). May pi	oduce an allergic reaction				
	Danger class	Target organs	Cat.	Main effects, acute and/o	or delayed					
					-					

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

Not classified as a product hazardous by aspiration (based on available data,

the classification criteria are not met).

	CMR EFFECTS: Carcinogenic effects: Is not considered as a carcinogenic pro <u>Genotoxicity:</u> Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Do not harm fertility. Do not harm the			
	Effects via lactation: Not classified as a hazardous product for DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRON	r children breast-fed.	ONG-TERM EXPOSURE:	
	Routes of exposure: Not available. Short-term exposure: Not available. Long-term or repeated exposure: Not available.			
	INTERACTIVE EFFECTS: Not available.			
	INFORMATION ABOUT TOXICOCINETICS, METABOLISM A Dermal absorption: Not available. Basic toxicokinetics: Not available.	ND DISTRIBUTION:		
	ADDITIONAL INFORMATION: Not available.			
	ON 12 : ECOLOGICAL INFORMATION			
expe econ	erimental ecotoxicological data on the preparation as such is av ventional calculation method of the Regulation (EC) No. 1272/2	allable. The ecotoxicological classific 2008~605/2014 (CLP).	cation for these mixture has b	een carried out by using
.1	TOXICITY:			1
	Acute toxicity in aquatic environment for individual ingredients : Zinc oxide Ammonium alkylethersulphosuccinate Diuron (ISO) 2-octyl-2H-isothiazol-3-one	CL50 (OECD 203) mg/l.96hours 1.8 Fishes 4.5 Fishes 15. Fishes 0.036 Fishes	CE50 (OECD 202) mg/l.48hours 1.7 Daphnia > 100. Daphnia 23. Daphnia 0.42 Daphnia	CE50 (OECD 201) mg/l.72hours 0.17 Algae 59. Algae 0.022 Algae 0.084 Algae
	1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	0.000 Fishes 0.19 Fishes	0.85 Daphnia 0.16 Daphnia	0.004 Algae 0.37 Algae 0.018 Algae
	No observed effect concentration	NOEC (OECD 210) mg/l.28days	NOEC (OECD 211) mg/l.21days	
	Diuron (ISO) Lowest observed effect concentration	0.41 Fishes	0.56 Daphnia	
	Diuron (ISO)	0.79 Fishes	0.97 Daphnia	
.2	PERSISTENCE AND DEGRADABILITY: Not available.			
	Aerobic biodegradation for individual ingredients :	DQO mgO2/g	%DBO/DQO 5 days 14 days 28 days	Biodegradability
	Zinc oxide Ammonium alkylethersulphosuccinate Diuron (ISO) 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		0. 1.	Not available Inherently Not easy Not easy Not easy Inherently
.3	BIOACCUMULATIVE POTENTIAL: Not available.			· · · ·
	Bioaccumulation for individual ingredients : Ammonium alkylethersulphosuccinate Diuron (ISO) 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one	logPow 8.20 2.82 2.45 0.640	BCF L/kg 27. (calculated) 19. (calculated) 3.2 (calculated)	Potential High Low Low Unlikely, Iow
.4	Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) MOBILITY IN SOIL: Not available.	-0.830	3.2 (calculated)	No bioaccumulable
.5		of Regulation (EC) no. 1907/2006:		
.6	OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available. Photochemical ozone creation potential: Not available. Earth global warming potential: Not available. Endocrine disrupting potential: Not available.			

Γ

Γ

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

٦

Mac	FIJADOR DE MANCHAS AL AGUA Code: 70255	
SECTIC	ON 13 : DISPOSAL CONSIDERATIONS	
13.1	WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recy discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of current local and national regulations. For exposure controls and personal protection measures, see section 8.	cling. Do not f in accordance with
	Disposal of empty containers: # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and package same measures as for the product in itself.)in accordance with
	Procedures for neutralising or destroying the product: Authorised landfill in accordance with local regulations.	

Mau		FIJADOR DE MANCHAS AL AGUA Code: 70255							
SECTIO	ON 14 :	TRANSPORT INFORMATION							
14.1		JMBER: Not applicable							
14.2		ROPER SHIPPING NAME:_ Not applicable							
14.3 14.4	TRAN	SPORT HAZARD CLASS(ES) AND PACKING GROUP:							
14.4	Transport by road (ADR 2015) and Transport by rail (RID 2015): Not reglamented								
	<u>Trans</u> Not re	port by sea (IMDG 37-14): glamented							
	Trans Not re	port by air (ICAO/IATA 2015): glamented							
	Trans Free.	port by inland waterways (ADN):							
14.5		RONMENTAL HAZARDS: oplicable.							
14.6	Ensur	IAL PRECAUTIONS FOR USER: re that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that a on and sure.	are in a vertical						
14.7		SPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: pplicable.							
SECTIO	ON 15 :	REGULATORY INFORMATION							
15.1	EU SA	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:							
	Restri	ctions on manufacture, placing on market and use: See section 1.2							
	Contro	ol of the risks inherent in major accidents (Seveso III):See section 7.2							
	Tactile	e warning of danger: Not applicable (the classification criteria are not met).							
	Child :	safety protection: Not applicable (the classification criteria are not met).							
	VOC i # Cor	nformation on the label: tains VOC max. 16. g/l - The limit value 2004/42/CE-IIA cat. g) for the product ready for use is VOC max. 30. g/l (2010).							
		R REGULATIONS: /ailable							
15.2	CHEM For th	IICAL SAFETY ASSESSMENT: is mixture has not been carried out a chemical safety assessment.							

<u>()</u> Ma <u>c</u>	FIJADOR DE MANCHAS AL AGUA Code: 70255	
SECTION	I 16 : OTHER INFORMATION	
SECTION 16.1 1 H S S C C C C C C C C C C C C C		ife. H410 May onged or 830.
	mation of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' worki s are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written h	

instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.