



**PINTURA MAGNÉTICA**  
Code: 70440

Version: 2 Revision: 21/02/2017

Previous revision: 20/02/2017

Date of printing: 21/02/2017

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

1.1	<u>PRODUCT IDENTIFIER:</u> PINTURA MAGNÉTICA Code: 70440
1.2	<u>RELEVANT IDENTIFIED USES AND USES ADVISED AGAINST:</u> <u>Intended uses (main technical functions):</u> [X] Industrial [X] Professional [X] Consumers # <i>Decorative paint.</i> <u>Sectors of use:</u> # <i>Consumer uses (SU21).</i> <u>Uses advised against:</u> None. As there is not classified as dangerous, this product can be used in ways other than the identified uses, but all uses have to be consistent with the safety guidelines provided. <u>Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:</u> Not restricted.
1.3	<u>DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:</u> PINTURAS MACY, S.A. Ctra. Nacional 301, Km. 212,8 - E-02630 - La Roda (Albacete) Phone: +34 967 440712 - Fax: +34 967 442819 <u>E-mail address of the person responsible for the safety data sheet:</u> e-mail: laborato102@pinturas-macy.com
1.4	<u>EMERGENCY TELEPHONE NUMBER:</u> +34 967 440712 (8:00-13:00 / 16:00-20:00 h.) (working hours)

**SECTION 2 : HAZARDS IDENTIFICATION**

2.1	<u>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:</u> This product is not classified as dangerous, in accordance with Regulation (EC) No. 1272/2008-605/2014 (CLP)  Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.  Note: This product does not require a material safety data sheet (MSDS) according to the Regulation (EC) no. 2015/830. When used as recommended or under ordinary conditions, it should not present a physicochemical, health safety or environmental hazard. However, an MSDS can be provided as a courtesy in response to a customer request.
2.2	<u>LABEL ELEMENTS:</u> This product does not require pictograms, in accordance with Regulation (EC) No. 1272/2008-605/2014 (CLP) <u>Hazard statements:</u> None. <u>Precautionary statements:</u> P102 Keep out of reach of children. P271 Use only outdoors or in a well-ventilated area. P280B Wear protective gloves and eye protection . P273 Avoid release to the environment. <u>Supplementary statements:</u> EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. <u>Hazardous ingredients:</u> None.

2.3	<u>OTHER HAZARDS:</u> Hazards which do not result in classification but which may contribute to the overall hazards of the mixture: <u>Other physicochemical hazards:</u> No other relevant adverse effects are known. <u>Other adverse human health effects:</u> No other relevant adverse effects are known. <u>Other negative environmental effects:</u> Does not contain substances that fulfil the PBT/vPvB criteria.
-----	--




PINTURA MAGNÉTICA  
Code: 70440

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

3.1	<p><u>SUBSTANCES:</u> Not applicable (mixture).</p>
3.2	<p><u>MIXTURES:</u> This product is a mixture. <u>Chemical description:</u> Solution of magnetite in aqueous media.</p> <p><u>HAZARDOUS INGREDIENTS:</u> Substances taking part in a percentage higher than the exemption limit: None</p> <p><u>Impurities:</u> Does not contain other components or impurities which will influence the classification of the product.</p> <p><u>Stabilizers:</u> None</p> <p><u>Reference to other sections:</u> For more information, see sections 8, 11 and 12.</p> <p><u>SUBSTANCES OF VERY HIGH CONCERN (SVHC):</u> List updated by ECHA on 20/06/2016. <u>Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None <u>Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None</p> <p><u>PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:</u> Does not contain substances that fulfill the PBT/vPvB criteria.</p>

**SECTION 4 : FIRST AID MEASURES**

4.1	<p><u>DESCRIPTION OF FIRST-AID MEASURES:</u></p>	
	 <p>Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.</p>	
	<u>Route of exposure</u>	<u>Symptoms and effects, acute and delayed</u>
	<u>Inhalation:</u>	<p>Normally does not produce symptoms.</p> <p>Should there be any symptoms, transfer the person affected to the open air.</p>
	<u>Skin:</u>	<p>Normally does not produce symptoms.</p> <p>Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.</p>
	<u>Eyes:</u>	<p>Normally does not produce symptoms.</p> <p>Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.</p>
	<u>Ingestion:</u>	<p>If swallowed in high doses, may cause gastrointestinal disturbances.</p> <p>If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.</p>

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:  
The main symptoms and effects are indicated in sections 4.1 and 11

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:  
Notes to physician: Treatment should be directed at the control of symptoms and the clinical condition of the patient.  
Antidotes and contraindications: Specific antidote not known.



PINTURA MAGNÉTICA  
Code: 70440

**SECTION 5 : FIRE-FIGHTING MEASURES**

- 5.1 EXTINGUISHING MEDIA:  
In the case of fire in the surroundings, all extinguishing agents are allowed.
- 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:  
As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide, nitrogen oxides, phosphorus oxides, sulfur oxides. Exposure to combustion or decomposition products may be a hazard to health.
- 5.3 ADVICE FOR FIREFIGHTERS:  
Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.  
Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

- 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:  
Avoid direct contact with this product. The floor may become slippery.
- 6.2 ENVIRONMENTAL PRECAUTIONS:  
Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.
- 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:  
Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc..). Avoid use of solvents. Keep the remains in a closed container.
- 6.4 REFERENCE TO OTHER SECTIONS:  
For contact information in case of emergency, see section 1.  
For information on safe handling, see section 7.  
For exposure controls and personal protection measures, see section 8.  
For subsequent waste disposal, follow the recommendations in section 13.

**SECTION 7 : HANDLING AND STORAGE**

- 7.1 PRECAUTIONS FOR SAFE HANDLING:  
Comply with the existing legislation on health and safety at work.  
General recommendations:  
Avoid any type of leakage or escape. Keep the container tightly closed.  
Recommendations for the prevention of fire and explosion risks:  
Although due its low flammability does not represent a serious risk of fire, all type of measures should be taken in order to avoid any possibility of ignition.  
Recommendations for the prevention of toxicological risks:  
Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.  
Recommendations for the prevention of environmental contamination:  
It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
- 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:  
Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.  
Class of store : According to current legislation.  
Maximum storage period : 24 months  
Temperature interval : min: 5. °C, max: 30. °C (recommended).  
Incompatible materials:  
Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.  
Type of packaging:  
According to current legislation.  
Limit quantity (Seveso III): Directive 2012/18/EU:  
Not applicable.
- 7.3 SPECIFIC END USES:  
For the use of this product do not exist particular recommendations apart from that already indicated.



**PINTURA MAGNÉTICA**  
Code: 70440

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 CONTROL PARAMETERS:**  
If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

AGCIH 2014	Year	TLV-TWA		TLV-STEL - Ceiling value.		Remarks
		ppm	mg/m3	ppm	mg/m3	
1,2-benzisothiazol-3(2H)-one		-	0.10	-	0.060	Recommended

TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.

BIOLOGICAL LIMIT VALUES:

Not established

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

Derived no-effect level, workers: - Systemic effects, acute and chronic: 1,2-benzisothiazol-3(2H)-one	DNEL Inhalation mg/m3	DNEL Cutaneous mg/kg bw/d	DNEL Oral mg/kg bw/d
	- (a) - (c)	- (a) - (c)	- (a) - (c)
Derived no-effect level, workers: - Local effects, acute and chronic: 1,2-benzisothiazol-3(2H)-one	DNEL Inhalation mg/m3	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2
	- (a) - (c)	- (a) - (c)	- (a) - (c)
Derived no-effect level, general population: - Systemic effects, acute and chronic: 1,2-benzisothiazol-3(2H)-one	DNEL Inhalation mg/m3	DNEL Cutaneous mg/kg bw/d	DNEL Oral mg/kg bw/d
	- (a) - (c)	- (a) - (c)	- (a) - (c)
Derived no-effect level, general population: - Local effects, acute and chronic: 1,2-benzisothiazol-3(2H)-one	DNEL Inhalation mg/m3	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2
	- (a) - (c)	- (a) - (c)	- (a) - (c)

(-) - DNEL not available (without data of registration REACH).

PREDICTED NO-EFFECT CONCENTRATION (PNEC):

Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: 1,2-benzisothiazol-3(2H)-one	PNEC Fresh water mg/l	PNEC Marine mg/l	PNEC Intermittent mg/l
	-	-	-
- Wastewater treatment plants (STP) and sediments in fresh- and marine water: 1,2-benzisothiazol-3(2H)-one	PNEC STP mg/l	PNEC Sediments mg/kg dry weight	PNEC Sediments mg/kg dry weight
	-	-	-
Predicted no-effect concentration, terrestrial organisms: - Air, soil and effects for predators and humans: 1,2-benzisothiazol-3(2H)-one	PNEC Air mg/m3	PNEC Soil mg/kg dry weight	PNEC Oral mg/kg bw/d
	-	-	-

(-) - PNEC not available (without data of registration REACH).



**PINTURA MAGNÉTICA**  
Code: 70440

8.2

EXPOSURE CONTROLS:

ENGINEERING MEASURES:



Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

Protection of respiratory system: Avoid the inhalation of vapours.

Protection of eyes and face: Dispose of water taps, sources or eyewash bottles with clean water close to the working area.

Protection of hands and skin: It is recommended to dispose of water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:



No, unless ventilation is insufficient. Use respiratory protection in spray applications. Use respiratory protection if there is a danger of exposure to high concentrations of emanations.

Goggles:

Advisable.

Face shield:

No.

Gloves:

Advisable. The gloves should be immediately replaced when any sign of degradation is noted.

Boots:

No.

Apron:

No.

Clothing:

No.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment. Avoid any release into the atmosphere.

Spills on the soil: Prevent contamination of soil.

Spills in water: Do not allow to escape into drains, sewers or water courses.

- Water Control Act: This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere.

- VOC (product ready for use\*): It is applicable the Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS AND VARNISHES (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory a) Matt coating for interior walls and ceilings, water-borne. VOC (product ready for use\*) ( producto listo al uso. ) : 4.6\* g/l\* (VOC max. 30. g/l\* starting from 01.01.2010).



PINTURA MAGNÉTICA  
Code: 70440

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

9.1	<p><b>INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:</b></p> <p><u>Appearance</u>                      - Physical state : Liquid.                      - Colour : Black.                      - Odour : Characteristic                      - Odour threshold : Not available (mixture).</p> <p><u>pH-value</u>                      - pH : 8.5 ± 0.4 at 20°C</p> <p><u>Change of state</u>                      - Melting point : Not available                      - Initial boiling point : &gt; 100* °C at 760 mmHg</p> <p><u>Density</u>                      - Relative density : 2.411* at 20/4°C <span style="float: right;">Relative water</span></p> <p><u>Stability</u>                      - Decomposition temperature : Not available</p> <p><u>Viscosity:</u>                      - Viscosity (Krebs-Stormer) : 118. ± 5. KU 20°C</p> <p><u>Volatility:</u>                      - Evaporation rate : 40.5* nBuAc=100 25°C <span style="float: right;">Relative</span>                      - Vapour pressure : 17.5* mmHg at 20°C                      - Vapour pressure : 12.3* kPa at 50°C</p> <p><u>Solubility(ies)</u>                      - Solubility in water : Miscible                      - Liposolubility : Not available (mixture untested).</p> <p><u>Flammability:</u>                      - Flash point : Not applicable                      - Autoignition temperature : Not applicable (do not support combustion).</p> <p><u>Explosive properties:</u>                      Not available.</p> <p><u>Oxidizing properties:</u>                      Not classified as oxidizing product.</p> <p>*Estimated values based on the substances composing the mixture.</p>
-----	--

9.2	<p><b>OTHER INFORMATION:</b></p> <p>- Heat of combustion : 446* Kcal/kg                      - VOC (supply) : 4.6 g/l</p> <p>The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheet of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.</p>
-----	--

**SECTION 10 : STABILITY AND REACTIVITY**

10.1	<p><b>REACTIVITY:</b>  <u>Corrosivity to metals:</u> It is not corrosive to metals.  <u>Pyrophorical properties:</u> It is not pyrophoric.</p>
10.2	<p><b>CHEMICAL STABILITY:</b>                      Stable under recommended storage and handling conditions.</p>
10.3	<p><b>POSSIBILITY OF HAZARDOUS REACTIONS:</b>                      Possible dangerous reaction with oxidizing agents.</p>
10.4	<p><b>CONDITIONS TO AVOID:</b>  <u>Heat:</u> Keep away from sources of heat.  <u>Light:</u> If possible, avoid direct contact with sunlight.  <u>Air:</u> The product is not affected by exposure to air, but should not be left the containers open.  <u>Pressure:</u> Not relevant.  <u>Shock:</u> The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.</p>
10.5	<p><b>INCOMPATIBLE MATERIALS:</b>                      Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.</p>
10.6	<p><b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>                      As consequence of thermal decomposition, hazardous products may be produced: carbon monoxide.</p>



PINTURA MAGNÉTICA  
Code: 70440

**SECTION 11 : TOXICOLOGICAL INFORMATION**

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008-605/2014 (CLP).

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**

ACUTE TOXICITY:

<u>Dose and lethal concentrations for individual ingredients :</u> 1,2-benzisothiazol-3(2H)-one	<u>DL50 (OECD 401)</u> mg/kg oral 1020. Rat	<u>DL50 (OECD 402)</u> mg/kg cutaneous > 2000. Rat	<u>CL50 (OECD 403)</u> mg/m3.4h inhalation > 2050. Rat
--	---	--	--

No observed adverse effect level  
Not available  
Lowest observed adverse effect level  
Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed
<u>Inhalation:</u> Not classified	ATE > 20000 mg/m3	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).
<u>Skin:</u> Not classified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).
<u>Eyes:</u> Not classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).
<u>Ingestion:</u> Not classified	ATE > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).
<u>Skin corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).
<u>Serious eye damage/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).
<u>Respiratory sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).
<u>Skin sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).

· Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Aspiration hazard:</u> Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.  
Genotoxicity: Is not considered as a mutagenic product.  
Toxicity for reproduction: Do not harm fertility. Do not harm the fetus developing.  
Effects via lactation: Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure: Not available.  
Short-term exposure: Not available.  
Long-term or repeated exposure: Not available.



PINTURA MAGNÉTICA  
Code: 70440

**SECTION 12 : ECOLOGICAL INFORMATION**

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008~605/2014 (CLP).

12.1	<u>TOXICITY:</u>			
	<u>Acute toxicity in aquatic environment</u> for individual ingredients : 1,2-benzisothiazol-3(2H)-one	<u>CL50</u> (OECD 203) mg/l.96hours 1.2 Fishes	<u>CE50</u> (OECD 202) mg/l.48hours 0.85 Daphnia	<u>CE50</u> (OECD 201) mg/l.72hours 0.37 Algae
	<u>No observed effect concentration</u> Not available			
	<u>Lowest observed effect concentration</u> Not available			
12.2	<u>PERSISTENCE AND DEGRADABILITY:</u> Not available.			
12.3	<u>BIOACCUMULATIVE POTENTIAL:</u> Not available.			
	<u>Bioaccumulation</u> for individual ingredients : 1,2-benzisothiazol-3(2H)-one	<u>logPow</u> 0.640	<u>BCF</u> L/kg 3.2 (calculated)	<u>Potential</u> Unlikely, low
12.4	<u>MOBILITY IN SOIL:</u> Not available.			
12.5	<u>RESULTS OF PBT AND VPVB ASSESMENT:</u> Annex XIII of Regulation (EC) no. 1907/2006: Does not contain substances that fulfill the PBT/vPvB criteria.			
12.6	<u>OTHER ADVERSE EFFECTS:</u> <u>Ozone depletion potential:</u> Not available. <u>Photochemical ozone creation potential:</u> Not available. <u>Earth global warming potential:</u> Not available. <u>Endocrine disrupting potential:</u> Not available.			

**SECTION 13 : DISPOSAL CONSIDERATIONS**

13.1	<p><u>WASTE TREATMENT METHODS:</u> Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.</p> <p><u>Disposal of empty containers:</u> Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.</p> <p><u>Procedures for neutralising or destroying the product:</u> Authorised landfill in accordance with local regulations.</p>
------	---





PINTURA MAGNÉTICA  
Code: 70440

**SECTION 14 : TRANSPORT INFORMATION**

- 14.1 **UN NUMBER:** Not applicable
- 14.2 **UN PROPER SHIPPING NAME:** Not applicable
- 14.3 **TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:**
- 14.4 **Transport by road (ADR 2015) and Transport by rail (RID 2015):**  
Not reglamented  
  
**Transport by sea (IMDG 37-14):**  
Not reglamented  
  
**Transport by air (ICAO/IATA 2015):**  
Not reglamented  
  
**Transport by inland waterways (ADN):**  
Free.
- 14.5 **ENVIRONMENTAL HAZARDS:**  
Not applicable (not classified as hazardous for the environment).
- 14.6 **SPECIAL PRECAUTIONS FOR USER:**  
Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are in a vertical position and sure.
- 14.7 **TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:**  
Not applicable.

**SECTION 15 : REGULATORY INFORMATION**

- 15.1 **EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:**  
The regulations applicable to this product generally are listed throughout this material safety data sheet.  
  
**Restrictions on manufacture, placing on market and use:** See section 1.2  
  
**Control of the risks inherent in major accidents (Seveso III):** See section 7.2  
  
**Tactile warning of danger:** Not applicable (the classification criteria are not met).  
  
**Child safety protection:** Not applicable (the classification criteria are not met).  
  
**VOC information on the label:**  
Contains VOC max. 4.7 g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30. g/l (2010).  
  
**OTHER REGULATIONS:**  
Not available
- 15.2 **CHEMICAL SAFETY ASSESSMENT:**  
For this mixture has not been carried out a chemical safety assessment.

